11.03.00

ATTORNEY'S DOCKET NO. FORM PTO-1390 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK **OFFICE** PHD 99,027 TRANSMITTAL LETTER TO THE UNITED STATES DESIGNED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371 U.S. Application No. (if known, see 37 CFR 1.5) INTERNATIONAL APPLICATION NO. INTERNATIONAL FILING DATE PRIORITY DATE CLAIMED MARCH 11, 1999 MATCH ho 200 PCT/EP00/02178 TITLE OF INVENTION NOV 0 2 2000 **CHANGING GEAR** į, APPLICANT(S) FOR DO/EO/US NORBERT KUNZE, STEFAN MULLER Applicant(s) herewith submit to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 1. [X] This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 2. [] This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay 3. [] examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 4. [] A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. A copy of the International Application as filed (35 U.S.C. 371 (c)(2)) 5. [] is transmitted herewith (required only if not transmitted by the International Bureau). a. [X] has been transmitted by the International Bureau. b. [] is not required, as the application was filed in the United States Receiving Office (RO/US). c. [] 6. [] A translation of the International Application into English (35 U.S.C. 371(c)(2)) Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) 7. [] are transmitted herewith (required only if not transmitted by the International Bureau). a. [] have been transmitted by the international Bureau. b. [] have not been made; however, the time limit for making such amendments has NOT expired. d. [] have not been made and will not be made. A translation of the amendment to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)). 8. [] An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 9. [X] A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). Items 11. to 16. below concern document(s) or information included: An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98. 11. [] An assignment document for recording. A separate cover sheet is compliance with 37 C.F.R. 3.28 and 3.31 is included. 12. [X] 13. [X] A FIRST preliminary amendment. A SECOND OR SUBSEQUENT preliminary amendment. CERTIFICATE OF EXPRESS MAILING 14. [] A substitute specification. Express Mail Mailing Label No. EL458219317 US A change of power of attorney and/or address letter. 15. [X] Date of Deposit NOVEMBER 16. [X] Other items or information: I hereby certify that this paper and/or fee is being deposited with Application as published (WO00/54270) the United States Postal Service "Express Mail Post Office to Four (4) sheets of formal drawings Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is adressed to the Commissioner of Patents and Trademarks, Washington D.C. 20231 Noemi Chapa Typed Name

U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5)		1.5)	INTERNATIONAL APPLICATION NO. PCT/EP00/02178		ATTORNEY'S DOCKET NUMBER PHD 99,027	
17 [] The following for	ees are submitted.		·····		CALCULATIONS (PTO USE ONLY)	
	E (37 C.F.R. 1.492(A)(1)-(5)	n:			,	ŕ
			O or JPO	\$940.00		
Search Report has been prepared by the EPO or JPO \$940.00 International preliminary-examination fee paid to USPTO (37 C.F.R. 1.482) \$720.00						
No international preliminary examination fee paid to USPTO (37 C.F.R. 1.482) but international search fee paid to USPTO (37 C.F.R. 1.445(a)(2) \$760.00						
Neither international preliminary examination fee (37 C.F.R. 1.482) nor international search fee (37 C.F.R. 1.445(a)(2)) paid to USPTO \$970.00						
Internation (37 C.F.R. 1 Article 33(2	al preliminary examinatio .482) and all claims satis ()-(4)	n fee pa fied pro	aid to USPTO ovisions of PCT	\$ 96.00		
	ENTER APPROPRIATE B	ASIC F	EE AMOUNT =		\$970.00	
Surcharge of \$130.00 from the earliest claim	for furnishing the oath or led priority date (37 C.F.R	declar . 1.492	ation later than [(e)).	[] 20 [] 30 months	\$	
CLAIMS	NUMBER FILED	NUMB	ER EXTRA	RATE		
Total Claims	5 - 20 =			X \$ 18.00	\$	
Independent claims	2 - 3 =			X \$ 78.00	\$	
MULTIPLE DEPENDE	NT CLAIMS (if			+ \$260.00	\$	
	TOTAL OF AB	OVE C	ALCULATIONS	=	\$970.00	
Reductions by 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 C.F.R. 1.9, 1.27, 1.28)					\$	
			SUE	BTOTAL =	\$970.00	
Processing fee of \$130.00 for furnishing the English translation later than [] 20 [] 30 months from the earliest claimed priority date (37 C.F.R. 1.492(f)).					\$	
TOTAL NATIONAL FEE =					\$970.00	
Fee for recording the accompanied by an a	enclosed assignment (37 ppropriate cover sheet (37	C.F.R. 7 C.F.R	1.21(h)). The as . 3.28,3.31). \$40	signment must be .00 per property +	\$40.00	
			TOTAL FEES E	NCLOSED =	\$1,010.00	
					Amount to be refunded	\$
					charged	\$
a. [] A check in	the amount \$	1	to cover the abo	ve fees is enclosed.		
b. [X] Please charge my Deposit Account No. 14-1270 in the aount of \$1,010.00 to cover the above fees. A duplicate copy of this sheet is enclosed.						
c. [X] The Commissioner is hereby authorized to charge any additional fee, with the exception of the Base Issue Fee, which may be required, or credit any overpayment to Deposit Account No. <u>14-1270</u> . A duplicate copy of this speet is enclosed.						
NOTE: Where an appropriate time limit under 37 C.F.R. 1.494 or 1.495 has not been met appropriate time limit under 37 C.F.R. 1.494 or 1.495 has not been met appropriate time limit under 37 C.F.R. 1.137(a) or (b)) must be filed and granted to restore the application to pending status.						
SEND ALL CORRESPONDENCE TO:						~
Corporate Patent Counsel Philips Electronics North America Corporation Michael E. Marion						
580 White Plains Road (NAME) Tarrytown, NY 10591						
				32,266 (REGISTRATION)	NUMBER)	
DATE OF MAILING:						
Nov. 2,	2000					

09/674669 **526 Rec'd PCT/FTO 02NOV** 2000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

NORBERT KUNZE ET AL

PHD 99,027

Int'l Application No.: IBPCT/EP00/02178

Filed: CONCURRENTLY

Title: CHANGING GEAR

Commissioner for Patents Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

Prior to the national phase examination, please amend the above-identified application as follows:

In the Specification

Page 1, above line 1, insert as a centered heading:

--BACKGROUND OF THE INVENTION--;

above line 16, insert as a centered heading:

--SUMMARY OF THE INVENTION--;

Page 3, line 9, insert as a centered heading:

--BRIEF DESCRIPTION OF THE DRAWINGS--;

line 16, insert as a centered heading:

--DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS--.

In The Claims

- Claim 1, line 9, change "characterized in that" to --wherein--.

Claim 2, line 1, change "characterized in that" to --wherein--.

Claim 3, line 1, change "one of the claims 1 and 2, characterized in that" to --claim 1, wherein--.

Claim 4, line 1, change "any one of the claims 1 to 3, characterized in that" to --claim 1, wherein--.

Claim 5, line 2, change "characterized in that" to --wherein--.

In The Abstract

Page 7, last line, delete "Fig. 1".

Remarks

The specification and claims have been amended to correct informalities in language and grammar, to add headings in accordance with MPEP Section 601, and to delete multiple dependencies.

The above amendments are submitted to place this application in proper U.S. format. Entry of the amendment and an early action on the merits are solicited.

Respectfully submitted,

Michael E. Marion, Reg. No. 32,266

Attorney

(914) 333-9641

10

15

20

25

1

Changing gear.

The invention relates to a device for playing and storing several disc-shaped data carriers with changing facility, in particular CDs, CD-ROMs, and DVDs, with a playback unit designed for playing the data carrier and consisting substantially of a base plate, a frame plate, and springs and dampers arranged therebetween, a turntable arranged on the frame plate and supporting the data carrier, and a tensioning device for the data carrier, with a stacking unit serving for the intermediate storage of several data carriers and a loading unit serving for the bidirectional transport of the data carrier between the stacking unit and the playback unit as well as for moving the data carrier into and out of the device.

The present state of the art provides that an individual motor is used for each of these mechanisms, or a changing gear is adjusted by hand or by means of a separate, small servomotor such that the motor power of a motor is switched over to various drives. The use of a separate drive motor or a servomotor is expensive, and a gear switch by hand is not always practicable or is at the very least uncomfortable. It happens in many technical appliances that several different mechanisms are used which must not be operated simultaneously.

It is an object of the invention to construct a drive system which controls itself without the help of servo drives such that the drive of two different mechanisms is rendered possible with only one motor.

The object according to the invention is achieved in that a changing gear is provided which has two alternate drive outputs, the first drive output being designed inter alia for the function of adjusting a control member which can be moved further from an extreme position of the first drive output by means of a further drive, with the result that an adjustment member carries out the switching-over operation.

The advantage lies in the fact that it is possible to control two drive outputs by means of only one motor drive via the changing gear, the switch-over between the two drive outputs taking place automatically by means of the adjustment member, and a manual operation is unnecessary.

In an embodiment of the device according to the invention, a changing wheel which is rotatably journaled about a drive wheel on a pivoting lever can be adjusted by means

10

15

20

25

30

of an adjustment member which is kept in or brought into a first end position by a spring, as a result of which the first output side of the changing gear is in engagement.

Advantageously, the drive wheel and the changing wheel are thus in continuous contact, and a mechanically simple, slide-type adjustment member suffices for transmitting the drive force to the one drive output and to the other drive output alternately. The spring ensures in this case that the changing wheel is brought into the first end position and is retained there.

It is furthermore provided that the spring is constructed as a leg spring whose second leg is supported against a frame, whose turn or turns is/are supported on a mandrel of the adjustment member, and whose first leg in said first end position is also supported against the adjustment member, such that the spring force acts with displacement effect on the adjustment member from the second leg only, while the adjustment member for the purpose of coupling the second output side of the changing gear by means of a control element, which acts on the first leg of the spring and compensates the contact force thereof on the adjustment member, changes the balance of forces such that the spring force between the control element and the adjustment member becomes greater than the spring force on the second leg and the frame, with the result that the adjustment member moves towards the second end position until the second end position is reached, whereby the movement of the adjustment member is blocked, whereas the first leg of the spring is displaced further by the control element and is thus lifted at one point from the adjustment member.

The automatic switch-over from the first to the second operating mode takes place automatically owing to this advantageous embodiment. This automatic switch-over takes place exactly the moment the spring force between the control element and the adjustment member becomes greater than the force of the second spring leg exerted on the frame. The increase in the spring force between the control element and the adjustment member is achieved in a suitable manner through the movement of a component controlled by the first drive output side.

It is furthermore provided that the coupling region between the first output member and the control member is constructed such that the first output member and the control member can move relative to one another in the direction of movement of the control member, and this clearance space is utilized for coupling and uncoupling the first drive output side.

The coupling region as provided here has the advantage that a simple coupling and uncoupling of the first output can take place without a complicated coupling between the drive member and the first output being necessary.

It is provided in a further embodiment of the invention that a changing gear is fitted with the features according to the invention as mentioned above.

An embodiment of the invention will be explained in more detail below with reference to the drawings, in which:

10

15

20

30

5

- Fig. 1 shows a changing gear in plan view;
- Fig. 2 shows the changing gear in a further plan view;
- Fig. 3 is a three-dimensional picture of the changing gear; and
- Fig. 4 is a three-dimensional picture of a lever mechanism with a control

element.

The operation of a changing gear according to the invention will be explained below. Fig. 1 shows the changing gear with a first output member 2, a second output member 1, a changing wheel 3, an adjustment member 4, and a control element 7 in a position in which the first output is driven. The changing wheel 3 is rotatably journaled on a pivot lever 5 and is in engagement with the rack 2 of the second output side. The pivot lever 5 can be pivoted by means of its catch pin 5a and the contour 4a of the adjustment member 4 when the adjustment member 4 is displaced against the direction of arrow A, so that the changing wheel 3 can be brought into engagement with the drive wheel 1 of the second output side.

25 This situation is visible in Fig. 2.

> The first leg 6a of the spring 6 bears on the adjustment member 4 in point B. and the second leg 6b bears on the frame 10 in point C, so that the adjustment member 4 is forced in the direction of the arrow A. The turn of the spring 6 is retained on the adjustment member 4 by a mandrel 8. The control element 14 lies in front of the first leg 6a of the spring. The control element 14 is coupled to the rack 2 by means of its dog 14a which lies in a rack opening 2a. In this switching position of the changing gear, a displacement of the rack 2 in a direction opposed to the arrow A has the result that the control element 14 will follow this movement, so that the edge D thereof approaches the first leg 6a and finally touches it. This is the extreme position up to which the rack 2 in its function as an output member can be

displaced. A further displacement of the control element 14 in a direction opposite to the arrow A is only possible if the width of the rack opening 2a of the rack 2 is greater than the width of the dog 14a, since a displacement of the rack 2 with the changing wheel 3 coupled thereto is not possible. Fig. 3 accordingly shows the changing gear in the first output position with the control element 14 and the dog 14a thereof coupled to the first output member 2, i.e. in the rack opening 2a thereof.

The displacement of the control element 14 against the arrow A has the result that the edge D of the element will occupy a position between the turn of the spring 6 and the point C on the first leg 6a of the spring. Since the effective lever arms on the spring legs 6a and 6b are of different lengths, the force between the control element 14 and the first leg 6a of the spring 6 is greater than the force between the second leg 6b and the frame point C. When the control element 14 is moved further, the turn of the spring 6, and accordingly also the adjustment member 4, will follow the movement of the control element 14 until the movement of the adjustment member 4 is stopped by an abutment. When the control element 14 moves still further after that, the first leg 6a will lift itself off its contact point B on the adjustment member 4 and will bear on the abutment with prestress. The switch-over process from the first output to the second output is completed thereby. Fig. 4 separately shows the lever mechanism with the control element 14, which is coupled by its dog 14a into the first output member 2 (not shown), and with a component of the third mechanism 5, by means of whose carrier block T2 the control element 14 can be operated by its catch T1 for switching the changing gear over.

10

CLAIMS:

1. A device for playing and storing several disc-shaped data carriers with changing facility, in particular CDs, CD-ROMs, and DVDs, with a playback unit designed for playing the data carrier and consisting substantially of a base plate, a frame plate, and springs and dampers arranged therebetween, a turntable arranged on the frame plate and supporting the data carrier, and a tensioning device for the data carrier, with a stacking unit serving for the intermediate storage of several data carriers and a loading unit serving for the bidirectional transport of the data carrier between the stacking unit and the playback unit as well as for moving the data carrier into and out of the device, characterized in that a changing gear is provided which has two alternate drive outputs, the first drive output (2) being designed inter alia for the function of adjusting a control member (14) which can be moved further from an extreme position of the first drive output (2) by means of a further drive, with the result that an adjustment member (4) carries out the switching-over operation.

2. A device as claimed in claim 1, characterized in that a changing wheel (3) which is rotatably journaled about a drive wheel (9) on a pivoting lever (5) can be adjusted by means of an adjustment member (4) which is kept in or brought into a first end position by a spring (6), as a result of which the first output side (2) of the changing gear is in engagement.

20

25

15

A device as claimed in one of the claims 1 and 2, characterized in that the spring (6) is constructed as a leg spring whose second leg (6b) is supported against a frame (10), whose turn or turns is/are supported on a mandrel (8) of the adjustment member (4), and whose first leg (6a) in said first end position is also supported against the adjustment member (4), such that the spring force acts with displacement effect on the adjustment member (4) from the second leg (6b) only, while the adjustment member (4) for the purpose of coupling the second output side of the changing gear by means of a control element (14), which acts on the first leg (6a) of the spring (6) and compensates the contact force thereof on the adjustment member (4), changes the balance of forces such that the spring force between the

10

15

20

control element (14) and the adjustment member (4) becomes greater than the spring force on the second leg (6b) and the frame (10), with the result that the adjustment member (4) moves towards the second end position until the second end position is reached, whereby the movement of the adjustment member (4) is blocked, whereas the first leg (6a) of the spring (6) is displaced further by the control element (14) and is thus lifted off the adjustment member (4) at point B.


- 4. A device as claimed in any one of the claims 1 to 3, characterized in that the coupling region between the first output member (2) and the control member (14) is constructed such that the first output member (2) and the control member (14) can move relative to one another in the direction of movement of the control member (14), and the resulting clearance space is utilized for coupling and uncoupling the first drive output side (2).
- 5. A changing gear, in particular for a device for playing and storing several disc-shaped data carriers, characterized in that said changing gear has two alternate drive outputs, the first drive output (2) being designed inter alia for the function of adjusting a control member (14) which can be moved further from an extreme position of the first drive output (2) by means of a further drive, with the result that an adjustment member (4) carries out the switching-over operation.


10


ABSTRACT:


The invention relates to a device for playing and storing several disc-shaped data carriers for alternate operation, in particular CDs, CD-ROMs, and DVDs, with a playback unit serving for playing the data carrier and comprising substantially a base plate, a frame plate, and springs and dampers arranged therebetween, and a turntable arranged on the frame plate for accommodating the data carrier and a tensioning device for the data carrier, as well as a stacking unit for the intermediate storage of several data carriers and a loading unit for the bidirectional transport of the data carrier between the stacking unit and the playback unit and for moving the data carrier into and out of the device. A changing gear is provided which has two alternative outputs, the first output (2) being provided inter alia for the purpose of adjusting a control member (14) which can be displaced from an extreme position of the first output (2) by means of a further drive, such that an adjustment member (4) carries out the switching-over operation.

Fig. 1









09/674669 **526 Rec'**d PCT/FTO **02NOV** 2000

Combined Declaration For Patent Application and Power of Attorney (Continued) (includes Reference to PCT International Applications)

Attorneys Docket Number PHD 99.027 US

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) abnd/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

Algy Tamoshunas Reg. No. 27,677 Jack E. Haken, Reg. No. 26,902 Direct Telephone Calls to: (name and telephone number) (914)332-0222

	FULL NAME OF FAMILY NAME INVENTOR KUNZE		FIRST GIVEN NAME Norbert	SECONDE GIVEN NAME
201	RESIDENCE & CITIZENSHIP	Diez	STATE OR FOREIGN COUNTRY Germany	COUNTRY OF CITIZENSHIP Germany
	POST OFFICE ADDRESS	POST OFFICE ADDRESS Fachinger Weg 4	D-65582 Diez	STATE & ZIP CODE/COUNTRY Germany
	FULL NAME OF INVENTOR	FAMILY NAME MÜLLER	FIRST GIVEN NAME Stefan	SECONDE GIVEN NAME
202	RESIDENCE & CITIZENSHIP	CITY Wetzlar	STATE OR FOREIGN COUNTRY Germany	COUNTRY OF CITIZENSHIP Germany
:	POST OFFICE ADDRESS	POST OFFICE ADDRESS Langer Morgen 22	CITY D-35582 Wetzlar	STATE & ZIP CODE/COUNTRY Germany
	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECONDE GIVEN NAME
203	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
111	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY
	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECONDE GIVEN NAME
204	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
# #	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY
	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECONDE GIVEN NAME
205	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
-	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY
2000	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECONDE GIVEN NAME
206	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE & ZIP CODE/COUNTRY

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true: and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 if Title 18 of the United states Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
Mirbert Lines	Stillell	
DATE 29 September 2000	DATE 29 September 2000	DATE
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206
DATE	DATE	DATE

U.S. DEPARTMENT OF COMMERCE- Patent and Trademarks Office
(July 1994)

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (includes Reference to PCT International Applications)

ATTORNEY'S DOCKET NUMBER

PHD 99.027 US

As a below named inventor, I hereby declare that:						
My residence, post office address and citizenship are as stated next to my name.						
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: "Changing gear" the specification of which (check only one item below):						
is attached hereto.						
was filed as United States a	pplication					
Serial No						
on						
and was amended						
on						
X was filed as PCT internation	al application					
Number PCT/EP00/02178						
pn <u>10 March 2000</u>						
mental management of the control of						
and was amended under PCT A	Article 19					
on (if applicable).						
		,				
I hereby state that I have review claims, as amended by any am	ved and understand the conte endment referred to above.	nts of the above-identified specification	n, including the			
I acknowledge the duty to discle	ose information which is mate	rial to the examination of this application	on in accordance with			
I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).						
I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:						
PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. 119:						
COUNTRY	APPLICATION NUMBER	DATE OF FILING DAY, MONTH, YEAR	PRIORITY CLAIMED UNDER 35 USC 119			
Germany	19910670.3	11 March 1999	YES			
						
		U.S. DEPARTMENT OF COMMERCE -P:	atent and Trademarks Office			